

L Number	Hits	Search Text	DB	Time stamp
2	805	organizer with 'PDA'	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 17:53
4	42	organizer near 'PDA'	USPAT	2004/03/06 18:48
5	0	(organizer near 'PDA').ab.	USPAT	2004/03/06 17:54
6	1	(organizer with 'PDA').ab.	USPAT	2004/03/06 17:54
11	282	('infrared signal').ab.	USPAT	2004/03/06 18:58
12	973	455/557.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:52
13	2	((('infrared signal').ab.) and 455/557.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:52
14	407	('rack mounted').ab.	USPAT	2004/03/06 18:58
15	1	((('rack mounted').ab.) and 455/\$.ccls.	USPAT	2004/03/06 19:00
16	515	361/728.ccls.	USPAT	2004/03/06 19:00
17	1	((('rack mounted').ab.) and 361/728.ccls.	USPAT	2004/03/06 19:00
-	104111	455/418, 419, 420.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:05
-	2005	receiv\$3 near4 (configuration or 'IP') with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:32
-	153	((wireless or radio) near signal) near4 (configuration or 'IP')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:15
-	1606	((wireless or radio) near signal) near (decod\$3 or conver\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:50
-	888098	((send\$3 or generat\$4 or transmi\$5) near signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:57
-	28	(receiv\$3 near4 (configuration or 'IP') with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')) same (((wireless or radio) near signal) near4 (configuration or 'IP'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:12
-	5	((wireless or radio) near signal) near (decod\$3 or conver\$7) and ((receiv\$3 near4 (configuration or 'IP') with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')) same (((wireless or radio) near signal) near4 (configuration or 'IP')))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:14

-	567	((wireless or radio) near signal) near (decod\$3 or conver\$7)) same (((send\$3 or generat\$4 or transmi\$5) near signal) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:14
-	38563	signal near4 (configuration or 'IP')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:15
-	7395	((send\$3 or generat\$4 or transmi\$5) near signal) ) same (signal near4 (configuration or 'IP'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:15
-	53	((wireless or radio) near signal) near4 (configuration or 'IP')) and (((send\$3 or generat\$4 or transmi\$5) near signal) ) same (signal near4 (configuration or 'IP'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:15
-	0	(455/418, 419, 420.ccls.) and (((wireless or radio) near signal) near4 (configuration or 'IP')) same (((send\$3 or generat\$4 or transmi\$5) near signal) ) same (signal near4 (configuration or 'IP'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:16
-	32	((wireless or radio) near signal) near4 (configuration or 'IP')) same (((send\$3 or generat\$4 or transmi\$5) near signal) ) same (signal near4 (configuration or 'IP'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:31
-	121	(program\$5 near (configuration or 'IP')) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:33
-	12	(455/418, 419, 420.ccls.) and ((program\$5 near (configuration or 'IP')) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:33
-	226145	(decod\$3 or conver\$7) near signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:52
-	24428	((send\$3 or generat\$4 or transmi\$5) near signal) ) with ((decod\$3 or conver\$7) near signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:51
-	55270	decod\$3 near signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:52
-	6527	((send\$3 or generat\$4 or transmi\$5) near signal) ) with (decod\$3 near signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:52
-	310	conver\$3 near (decod\$3 adj signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:53
-	15	((send\$3 or generat\$4 or transmi\$5) near signal) ) with (decod\$3 near signal)) with (conver\$3 near (decod\$3 adj signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:54

-	17	((((send\$3 or generat\$4 or transmi\$5) near signal) ) with (decod\$3 near signal)) same (conver\$3 near (decod\$3 adj signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:54
-	34001	((send\$3 or generat\$4 or transmi\$5) near signal) with (microprocessor or 'cpu')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 19:58
-	107	((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:17
-	3	(455/418, 419, 420.ccls.) and ((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu') )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:00
-	19	5754954.URPN.	USPAT	2004/03/05 20:02
-	7	("4788657"   "4817190"   "4839628"   "4935732"   "5012234"   "5297191"   "5297192").PN.	USPAT	2004/03/05 20:15
-	7	((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu') ) and 379/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:17
-	8	((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu') ) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:48
-	25	5313211.URPN.	USPAT	2004/03/05 20:35
-	47975	(remote\$2 with (config\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:56
-	32	(receiv\$3 near4 (configuration or 'IP') with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')) same ((remote\$2 with (config\$5 or program\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:51
-	16	((receiv\$3 near4 (configuration or 'IP') with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')) same ((remote\$2 with (config\$5 or program\$5))) and @ad<20010330	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:51
-	3782	(remote\$2 with (config\$5 or program\$5)) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:57
-	0	((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu') ) same ((remote\$2 with (config\$5 or program\$5)) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:57
-	0	((send\$3 or generat\$4 or transmi\$5) near (decod\$3 adj signal)) with (microprocessor or 'cpu') ) and ((remote\$2 with (config\$5 or program\$5)) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 20:57

-	8	(signal near4 (configuration or 'IP')) same ((remote\$2 with (config\$5 or program\$5)) with (mobile or wireless or radio or cellular or 'cell phone' or 'PDA'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:06
-	7	5964852.URPN.	USPAT	2004/03/05 21:03
-	11	conver\$5 near3 ('decoded signal') near3 (config\$5 or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:10
-	239035	stor\$4 with (config\$5 or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:10
-	12	(conver\$5 with ('decoded signal') with (config\$5 or address)) same (stor\$4 with (config\$5 or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:11
-	46	conver\$5 with ('decoded signal') with (config\$5 or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:18
-	158	conver\$5 with signal with ('configuration information' or 'IP address')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:19
-	9611	stor\$4 with ('configuration information' or 'IP address')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:20
-	3802	stor\$4 near ('configuration information' or 'IP address')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:20
-	8	(conver\$5 with signal with ('configuration information' or 'IP address')) same (stor\$4 near ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 21:20
-	36	(conver\$5 with signal with ('configuration information' or 'IP address')) same (stor\$4 with ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:33
-	26	((conver\$5 or translat\$5 or interpret\$4) near signal) with ('configuration information' or 'IP address')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:26
-	4389	(stor\$4 or record\$3) near ('configuration information' or 'IP address')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:35
-	3	((conver\$5 or translat\$5 or interpret\$4) near signal) with ('configuration information' or 'IP address') ) same ((stor\$4 or record\$3) near ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:37

-	5	((conver\$5 or translat\$5 or interpret\$4) near signal) with ('configuration information' or 'IP address') ) and ((stor\$4 or record\$3) near ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:40
-	1173	709/230.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:41
-	1	((conver\$5 or translat\$5 or interpret\$4) near signal) with ('configuration information' or 'IP address') ) and 709/230.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:41
-	0	receiv\$3 near (((wireless or radio) near signal) with ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 11:57
-	13	receiv\$3 near (signal with ('configuration information' or 'IP address'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:25
-	195	342/50.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:26
-	0	((stor\$4 or record\$3) near ('configuration information' or 'IP address')) and 342/50.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:26
-	239023	(conver\$5 or translat\$5 or interpret\$4 or decod\$3) near signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:27
-	48	342/50.ccls. and ((conver\$5 or translat\$5 or interpret\$4 or decod\$3) near signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:27
-	654	710/62.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:27
-	132	((conver\$5 or translat\$5 or interpret\$4 or decod\$3) near signal) and 710/62.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:28
-	128	340/7.45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:28
-	23	((conver\$5 or translat\$5 or interpret\$4 or decod\$3) near signal) and 340/7.45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 17:52